
GRANITO SERIES

Durable and monochrome, our **GRANITO** Series is a popular choice for large scale industry and commercial developments. An easy maintenance tile with P4 slip resistant properties, Granito boasts a sleek design that can be mixed and matched to enhance modern aesthetics.



PRODUCT TYPE: Unglazed porcelain

COLOURS: Silver, Grey, Light Grey, Dark Grey, Charcoal and Absolute Black

SIZES:

100x100mm, 100x200mm Cove, 200x200mm, 300x300mm
Non-Rectified Edges


FINISHES/USAGE: Matt/Wall and Floor

AESTHETIC QUALITIES: Commercial use tiles

ORIGIN: N/A

TECHNICAL DATA: P4 Pendulum Slip rating
More technical data on last page

VARIATION:



V1

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.


GRANITO SERIES

PRODUCT INFORMATION




Silver

Matt Cove 100x200mm



Silver

Matt Mosaic 100x100mm



Silver

Matt 200x200mm | 300x300mm



Silver Diamond

Matt 200x200mm



Grey

Matt Cove 100x200mm




Grey

Matt Mosaic 100x100mm



Grey

Matt 200x200mm | 300x300mm




Grey Diamond

Matt 200x200mm


Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

GRANITO SERIES



Graphite

Matt Cove 100x200mm




Graphite

Matt Mosaic 100x100mm



Graphite

Matt 200x200mm | 300x300mm




Graphite Diamond

Matt 200x200mm




Arkitek Color Dot Antrasit

Cove 100x200mm
200x200mm
100x200mm




Arkitek Color Dot Antrasit

Matt Mosaic 100x100mm



Arkitek Color Dot Antrasit

Mercado 200x200mm




Absolute Black

Matt 200x200mm

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

GRANITO SERIES



Arkitek Dotti Light Grey

Matt Mosaic 100x200mm




Arkitek Dotti Light Grey

Mercato 200x200mm



Arkitek Dotti Dark Grey

Mercato 100x100mm
200x200mm



Arkitek Dotti Dark Grey Diamond

Diamond 200x200mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

GRANITO SERIES

TECHNICAL DATA

	technical characteristics Group B I a	**test method**	**required values**	**value**
	water absorption	iso 10545-3	≤ 0.5%	0.21%
	bending strength	iso 10545-4	≥ 12MPA	≥ 33.5MPA
	breaking strength (S)	iso 10545-4	≥ 350 N	≥ 1785N
	abrasion resistace	iso 10545-7	Max. 175 mm^3 PEI 1-5	Class 3
	chemical resistance	iso 10545-13	Household chemicals and swimming pool salts Low concentration of acids and alkalis	GA GLA
	stain resistance	iso 10545-14	Minimum Class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.