

SURFACE

Elevate your space with the timeless elegance and depth of the Surface Collection. Explore the possibilities today and embark o a jouney of exquisite design and sophistication. Crafter meticulously to perfection, the Surface range presents a breathtaking collection of rectified glazed porcelains designed precisely for both indoor and outdoor application



Surface Bianco 120x60

Available in:


- 30x30 Matt wall/floor
- 30x60 Matt, Lappato or external wall/floor
- 60x60 Matt, Lappato wall/floor
- 120x60 Lappato wall/floor *except Fumo.

Five extraordinary colours:

- Grigio
- Fumo
- Argento
- Bianco
- Cenere

















120 X 60



60 X 60



30 X 60



30 X 30


Surface Cenere 60x60


Surface Grigio 60x60

Technical Specifications: SURFACE

	Properties	Test Method	Required Value	Value
	Water absorption	MS ISO 10545-3:2001	Eb ≤0.5%	0.17%
			Individual Maximum 0.6%	0.16%-0.19%
	Determination of dimensions	MS ISO 10545-2:2002	N≥15cm	-0.01%~+0.01% -0.1mm~+0.1mm
		Length	±0.6% ±2.0mm	
		Width	±5% ±0.5mm	0~+0.01% 0~+0.1mm
		Straightness of sides	±0.5% ±1.5mm	+0.4%~+1.7% 0~+0.2mm
		Thickness	±0.5% ±2.0mm	-0.06%~+0.08% -0.4mm~+0.5mm
	Breakage strength	MS ISO 10545-4:2003	≥1300	1899
	Modulus of rupture	MS ISO 10545-4:2003	Minimum 35	39.3
			Individual minimum 32	37.2~41.1
	Chemical resistance	MS ISO 10545-13:2018 Household Chemicals	Minimum GB	A
		Low concentration of acids and alkalis	Manufacturer to state classification	LA
		High Concentrations of acids and alkalis	Test method available	HA
	Stain resistance	MS ISO 10545-14:2018 a) Green & red staining agent in light oil b) Iodine, 13g/L solution in alcohol c) Olive Oil	Minimum Class 3	Class 5
	Origin	MADE IN CHINA		

Packing Information

Tile description		Quantity per Box		
Size (cm)	Texture	Pieces	Sqm	Weight (kgs)
30x30	Matt	11	0.99	23
30x60	Matt, Lappato, External	8	1.44	32
60x60	Matt, Lappato	4	1.44	32
60x120	Lappato	2	1.44	38.45

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.