

ARLO SERIES

ARLO is our wall-floor tile, which incorporates a delicate veining. Both cost-effective and stylish, **ARLO** provides a comfortable, rejuvenating ambiance for any bathroom, living or commercial setting.



PRODUCT TYPE: Colour-bodied porcelain

COLOURS: Ice, Marfil, Warm Grey and Greige

SIZES: 75x75mm, 200x1200mm, 300x300mm, 300x600mm, 600x600mm and 600x1200mm
Rectified Edges

FINISHES/USAGE:

Matt and Grip/Wall and Floor

AESTHETIC QUALITIES:

Tundra inspired look


TECHNICAL DATA:

P3 Pendulum Slip rating (Matt)
P4 Pendulum Slip rating (Grip)
More technical data on last page

CERTIFICATES:



VARIATION:



V2

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

ARLO SERIES

PRODUCT INFORMATION



Ice

Matt	75x75mm 200x1200mm 300x300mm 300x600mm 600x600mm 600x1200mm
Grip	300x600mm



Marfil

Matt	75x75mm 300x300mm 300x600mm 600x600mm 600x1200mm
Grip	300x600mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

ARLO SERIES

PRODUCT INFORMATION

Warm Grey

Matt	75x75mm 200x1200mm 300x300mm 300x600mm 600x600mm 600x1200mm
Grip	300x600mm

Greige

Matt	75x75mm 300x300mm 300x600mm 600x600mm 600x1200mm
Grip	300x600mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

ARLO SERIES

ICE VARIATION




ARLO SERIES

MARFIL VARIATION



ARLO SERIES


WARM GREY VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

ARLO SERIES

GREIGE VARIATION



ARLO SERIES

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.21%
	breaking strength	ISO 10545-4	≥1300N	≥1785N
	shock resistance	ISO 10545-11	Pass	Pass
	chemical resistance	ISO 10545-13	Declared value	Pass
	resistance to frost	ISO 10545-12	Resistant	Pass
	staining resistance	ISO 10545-14	Minimum Class 3	Pass

CERTIFICATION



An Environmental Product Declaration (EPD) is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.