

NORROCK SERIES

Inspired by Ceppo di Gre, **NORROCK** features the beautiful multi-colours of fragmented pebbles the natural stone is known for. Available in five colours and a wide range of sizes including a large 600x1200mm format.



PRODUCT TYPE: Colour-bodied porcelain

COLOURS: Warm White, Ivory, Almond Beige
Grey and Charcoal

SIZES: 300x300mm, 300x600mm, 600x600mm
600x1200mm and 1200x2700mm
Rectified Edges

FINISHES/USAGE:

Matt and Grip/Wall and Floor

AESTHETIC QUALITIES:

Ceppo Di Gre inspired look


TECHNICAL DATA:

P3 Pendulum Slip rating (Matt)
P5 Pendulum Slip rating (Grip)
P5 Pendulum Slip rating (Grip Paver)
More technical data on last page

CERTIFICATIONS:



VARIATION:



V2

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

PRODUCT INFORMATION



Warm White

Matt 300x300mm | 300x600mm | 600x600mm | 600x1200mm
1200x2700mm
Grip 300x600mm
Grip Paver 600x600x20mm



Ivory

Matt 300x300mm | 300x600mm | 600x600mm | 600x1200mm
300x600mm
Grip Paver 600x600x20mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

PRODUCT INFORMATION



Almond Beige

Matt 300x300mm | 300x600mm | 600x600mm | 600x1200mm
1200x2700mm

Grip 300x600mm

Grip Paver 600x600x20mm



Grey

Matt 300x300mm | 300x600mm | 600x600mm | 600x1200mm
1200x2700mm

Grip

Grip Paver 600x600x20mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

PRODUCT INFORMATION



Charcoal

Matt 300x300mm | 300x600mm | 600x600mm | 600x1200mm

Grip 300x600mm

Grip Paver 600x600x20mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

WARM WHITE VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

IVORY VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES


ALMOND BEIGE VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES


GREY VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

CHARCOAL VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

NORROCK SERIES

TECHNICAL DATA - TILE

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.5%
	breaking strength	ISO 10545-4	≥1300N	2265N
	shock resistance	ISO 10545-11	Pass	Pass
	chemical resistance	ISO 10545-13	Declared value	Pass
	resistance to frost	ISO 10545-12	Resistant	Pass
	staining resistance	ISO 10545-14	Minimum Class 3	Pass

NORROCK SERIES

TECHNICAL DATA - PAVER

	technical characteristics	test method	result
	water absorption	ISO 10545-3	≤0.5%
	breaking strength	ISO 10545-4	8500N
	max warpage	ISO 10545-2	±2.0mm
	max edge curvature	ISO 10545-2	±2.0mm
	chemical resistance	ISO 10545-13	Pass
	resistance to frost	ISO 10545-12	Pass
	staining resistance	ISO 10545-14	Pass

Porcelain Pavers and Coping tiles must be installed to Australian Standards (AS 3958.1, AS 3958.2 & AS 3727-2016) using correct procedures and products such as Mapei Ultralite S1.
No spot fixing under any circumstances.

Please note that all products must be fabricated using score & snap method and/or wet cutting in conjunction with AS/NZS 1716:2012, AS/NZS 1715:2009, AS/NZS 60335.2.69:2017" For more information please refer to: <https://www.safework.nsw.gov.au>

CERTIFICATIONS



An **Environmental Product Declaration (EPD)** is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.



ISO 14001:2015 specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.