

# TUFA SERIES

Add a refreshed lightness to the room with our **TUFA** porcelain range. Simple, inviting and cohesive, these tiles embody an inherent natural quality to suit a wide range of indoor-outdoor applications. Featuring three beautiful colours with gentle organic crosscut veining.



**PRODUCT TYPE:** Glazed porcelain

**COLOURS:** White, Ivory and Grey

**SIZES:** 220x245mm, 300x600mm and 600x1200mm  
Rectified Edges

**FINISHES/USAGE:**

**AESTHETIC QUALITIES:**

**TECHNICAL DATA:**

**CERTIFICATIONS:**


Matt and Grip/Wall and Floor

Natural travertine look

P3 Pendulum slip rating (Matt)  
P5 Pendulum slip rating (Grip)  
More technical data on the last page



**VARIATION:**



V2

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# TUFA SERIES

## PRODUCT INFORMATION




White Vein

Matt                      300x600mm | 600x1200mm  
Grip                      600x1200mm



Ivory Vein

Matt                      300x600mm | 600x1200mm  
Grip                      600x1200mm



Grey Vein

Matt                      300x600mm | 600x1200mm  
Grip                      600x1200mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# TUFA SERIES

## PRODUCT INFORMATION



**White Vein Campana**

Matt

220x245mm



**Cream Vein Campana**

Matt

220x245mm



**Grey Vein Campana**

Matt

220x245mm

# TUFA SERIES

## WHITE VEIN VARIATION

600x1200mm | 12 faces

300x600mm | 48 faces



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# TUFA SERIES

## IVORY VEIN VARIATION

600x1200mm | 12 faces

300x600mm | 48 faces



# TUFA SERIES

## GREY VEIN VARIATION

600x1200mm | 12 faces

300x600mm | 48 faces



# TUFA SERIES

## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# TUFA SERIES

## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# TUFA SERIES

## TECHNICAL DATA

|                                                                                    | technical characteristics | test method  | required values                     | result    |
|------------------------------------------------------------------------------------|---------------------------|--------------|-------------------------------------|-----------|
|    | water absorption          | ISO 10545-3  | ≤0.5%                               | ≤0.4%     |
|    | modulus of rupture        | ISO 10545-4  | ≥ 35 N/mm2                          | compliant |
|    | surface quality           | ISO 10545-2  | Complies with the standards         | ≥95%      |
|    | thermal shock resistance  | ISO 10545-9  | No sample must show visible defects | compliant |
|    | deep abrasion resistance  | ISO 10545-6  | ≤ 175 mm3                           | compliant |
|    | chemical resistance       | ISO 10545-13 | Declared value                      | compliant |
|  | resistance to frost       | ISO 10545-12 | Resistant                           | compliant |
|  | staining resistance       | ISO 10545-14 | Minimum Class 3                     | compliant |

## CERTIFICATIONS



**An Environmental Product Declaration (EPD)** is a globally recognised certification that outlines the environmental impact of a product across its entire life cycle. It supports sustainable decision-making and green procurement by assessing factors such as material sourcing, emissions, installation, use, and end-of-life disposal.



**ISO 14001:2015** specifies the requirements for an environmental management system that an organization can use to enhance its environmental performance. ISO 14001:2015 is intended for use by an organization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.